UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,671

: 6,671,052 B1

Page 2 of 2

DATED

: December 30, 2003

INVENTOR(S) : Allen J. Rushing

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16,

Lines 28-39, Claims 15 and 16 should read:

- 15. A multi-channel densitometer as set forth in claim 11, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said sensor, said emitter and said light detector forming an emitters-detector pair.
- 16. A multi-channel densitometer as set forth in claim 15, wherein at least one said emitter-detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Signed and Sealed this

Twenty-third Day of March, 2004

JON W. DUDAS Acting Director of the United States Patent and Trademark Office

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,671,052 B1

Page 1 of 2

DATED

: December 30, 2003

INVENTOR(S) : Allen J. Rushing

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column_3,

Line 67, delete "dk".

Column 5,

Line 22, delete the hyphenation of "to-the".

Line 33, change "mating" to -- making --.

Column 8,

Line 64, delete "A-s".

Column 9,

Line 5, delete the number "25".

Line 30, delete "LR".

Column 11,

Lines 17 and 39, change "30" to -- 18 --.

Column 15,

Lines 23-34, Claims 5 and 6 should read:

- 5. A multi-channel densitometer as set forth in claim1, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said light detector, said emitter and said light detector forming an emitter-detector pair.
- 6. A multi-channel densitometer as set forth in claim 5, wherein at least one said emitter-detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Lines 37-44, Claim 8 should read:

8. A multi-channel densitometer as set forth in claim 5, wherein a plurality of said emitter-detector pairs are of differing emitter color or peak wavelength, whereby when said sample areas are of differing colors, they can be measured with high sensitivity using light of complementary colors to the respective areas, and whereby said sample areas of the same color can be characterized in color by a set of measurement using light of different colors.

PE	E	ρ	_				
132	.81	U.S. Patent a	PTO/SB/21 (08-03) Approved for use through 07/31/2006. OMB 0651-0031 and Trademark Office; U.S. DEPARTMENT OF COMMERCE				
		Application Number	of information unless it displays a valid OMB control number. 09/873, 4-65				
RADE	TRANSMITTAL	Filing Date	6/4/2001				
	FORM	First Named Inventor	Allen J. Rushing				
	(to be used for all correspondence after initial t		2851				
L			Russell Adams				
(Total Number of Pages in This Submission	10 Attorney Docket Number	105				
[ENCLOSURES (Check all that a	ipply)				
	Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53	Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revocation Change of Correspondence Addres Terminal Disclaimer Request for Refund CD, Number of CP(s) at Cereminal Disclaimer Remarks JAN 2 1 2004 Of Correction	After Allowance communication to Group Appeal Communication to Board of Appeals and Interferences Appeal Communication to Group (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below): Request for Certificate of Correction, Patent No, 6,671,052				
	SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT Firm or Individual name Allen J. Rushing, applicant pro se, patentee Signature 100 100 0						
	Signature Allen 1 Rushing Date Jan, 9, 2004						
	CERTIFICATE OF TRANSMISSION/MAILING						
	I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.						
	Typed or printed name Allen J. Rushing Signature Allan J. Rushing Date Jan. 9, 2004						
(Signature Alla.	of Rushing	Date Jan. 9, 2004				

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

der the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

FEE TRANSMITTAL for FY 2004

Effective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT

	(\$)	100	00
--	------	-----	----

Complete if Known					
Application Number	09/873,465				
Filing Date	6/4/2001				
First Named Inventor	Allen J. Rushing				
Examiner Name	Russell Adams				
Art Unit	2851				
Attorney Docket No.	105				

METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)					
Check Credit card Money Other None	3. ADDITIONAL FEES					
Deposit Account:	Large Entity Small Entity					
Deposit	Fee Code	Fee (\$)	Fee Code	Fee (\$)	Fee Description	Fee Paid
Account Number	1051	130	2051	65	Surcharge - late filing fee or oath	
Deposit Account	1052	50	2052	25	Surcharge - late provisional filing fee or cover sheet	
Name The Director is authorized to: (check all that apply)	1053	130	1053	130	Non-English specification	
Charge fee(s) indicated below Credit any overpayments	1812	2,520	1812	2,520	For filing a request for ex parte reexamination	
Charge any additional fee(s) or any underpayment of fee(s)	1804	920*	1804	920*	Requesting publication of SIR prior to Examiner action	
Charge fee(s) indicated below, except for the filing fee	1805	1,840*	1805	1,840*	Requesting publication of SIR after Examiner action	
to the above-identified deposit account. FEE CALCULATION	1251	110	2251	55	Extension for reply within first month	
	1252	420	2252	210	Extension for reply within second month	,
1. BASIC FILING FEE Large Entity Small Entity	1253	950	2253	475	Extension for reply within third month	
Fee Fee Fee Fee Description Fee Paid	1254	1,480	2254	740	Extension for reply within fourth month	
Code (\$) Code (\$) 1001 770 2001 385 Utility filing fee	1255	2,010	2255	1,005	Extension for reply within fifth month	
1002 340 2002 170 Design filing fee	1401	330	2401	165	Notice of Appeal	
1003 530 2003 265 Plant filing fee	1402	330	2402	165	Filing a brief in support of an appeal	
1004 770 2004 385 Reissue filing fee	1403	290	2403	145	Request for oral hearing	
1005 160 2005 80 Provisional filing fee	1451	1,510	1451	1,510	Petition to institute a public use proceeding	
SUBTOTAL (1) (\$)		110	2452	55	Petition to revive - unavoidable	
	1453	1,330	2453	665	Petition to revive - unintentional	
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE		1,330	2501		Utility issue fee (or reissue)	
Extra Claims below Fee Paid Total Claims .20** = X = =	1502	480	2502		Design issue fee	
Independent 2**-	1503	640	2503		Plant issue fee	\vdash
Claims -3 -	1460	130	1460		Petitions to the Commissioner	
Large Entity Small Entity	1807	50	180		Processing fee under 37 CFR 1.17(q)	
Fee Fee Fee Fee Description	1806	180	1806		Submission of Information Disclosure Stmt	
Code (\$) Code (\$) 1202 18 2202 9 Claims in excess of 20	8021	40	802	1 40	Recording each patent assignment per property (times number of properties)	
1202 18 2202 9 Claims in excess of 20 1201 86 2201 43 Independent claims in excess of 3	1809	770	2809	385	Filing a submission after final rejection (37 CFR 1.129(a))	
1203 290 2203 145 Multiple dependent claim, if not paid	1810	770	2810	385	For each additional invention to be	
1204 86 2204 43 ** Reissue independent claims over original patent	1801	770	2801	385	examined (37 CFR 1.129(b)) Request for Continued Examination (RCE)	
1205 18 2205 9 ** Reissue claims in excess of 20	1802	900	1802	900	Request for expedited examination	
and over original patent	Othor	foo los	aciful I	200.	of a design application est Cert, of Correction	10000
SUBTOTAL (2) (\$)						
**or number previously paid, if greater; For Reissues, see above			J		ee Paid SUBTOTAL (3) (\$) /OC	
SUBMITTED BY (Complete (if applicable))						

SUBMITTED BY			(Complete (#	epplicable))
Name (Print/Type)	Allen J. Rushing	Registration No. (Attorney/Agent)	Telephone	185 671-8045
Signature	alle 1 Kushing		Date	Jan. 9. 2004

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

6,671,052

Issued:

12/30/2003

Appn. Number:

09/873,465

Appn. Filed: Applicant:

06/04/2001

Allen J. Rushing

Title:

Multi-Channel Densitometer

Mailed: Webster, NY January 9, 2004

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The above patent contains significant errors, as indicated on the attached Certificate of Correction form (submitted in duplicate). Two of these errors arose through the fault of applicant. These two errors are of a clerical or minor nature, and occurred in good faith and therefore issuance of the Certificate of Correction is respectfully requested.

A check for \$100 for the fee is enclosed.

• 01/14/2004 MGEBREM2 00000235 6671052

01 FC:1811

100.00 OP

JAN 2 2 2004



Specifically, corrections are requested in 8 places in the Specification. In addition, corrections are requested in Claims 5, 6, 8, 15, and 16. The attached Certificate of Correction form shows in detail how the patent as printed should be corrected.

Very respectfully,

Allen J. Rushing

Patentee

Enclosures

429 Tara Lane Webster, NY 14580 Tel. (585) 671-8045

United States Patent and Trademark Office

Certificate of Correction

1043

Patent No.:

6,671,052

Issue Date:

December 30, 2003

Inventor:

Allen J. Rushing

It is certified that error appears in the above-identified printed patent and that Letters Patent are hereby corrected as shown below:

In the Specification.

In col. 3, line 67 delete "dk".

photomultiplier_tubes-used-in-some-older-dk-densitometersz

In col. 5, line 22 delete the hyphenation of "to-the".

_trol-functions:-If-the connection to the host is wireless,

In col. 5, line 33 change "mating" to making

devices such as motors and corona chargers; mating making noise

In col. 8, line 64 delete "A-s".

-cyan, magenta, and yellow A-s separation colorants must be

Patent No.: 6,671,052

In col. 9, line 5 delete the number "25".

21/2 have sensors positioned in the 25 same track, upstream-

In col. 9, line 30 delete "LR".

transfer roller 42-LR transfers toner from image web 16-to-

In col. 11, line 17 change "30" to 18/

of web-30-18, to a distance inside the edge positioning sensor

In col. 11, line 39 change "30" to 4187-

process direction, and circuit board spacing from web 30 18

Column: 15, Lines 23-34

Correct the misprints of "emitter detector pair" in claims 5,6, &

- 5. A multi-channel densitometer as set forth in claim 1, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said light detector, said emitter and said light detector forming an emitter-detector pair.
- 6. A multi-channel densitometer as set forth in claim 5, wherein at least one said emitter-detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Patent No.:

6,671,052

Celermon 15, Lines 37-44, Claim & should read: 30/3

8. A multi-channel densitometer as set forth in claim 5, wherein a plurality of said emitter-detector pairs are of differing emitter color or peak wavelength, whereby when said sample areas are of differing colors, they can be measured with high sensitivity using light of complementary colors to the respective areas, and whereby said sample areas of the same color can be characterized in color by a set of measurements using light of Column No, Lines 28-39, Claims 15 and 16 should read: different colors.

- 15. A multi-channel densitometer as set forth in claim 11, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said sensor, said emitter and said light detector forming an emitters-detector pair.
- 16. A multi-channel densitometer as set forth in claim 15, wherein at least one said emitter-detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Mailing Address of Sender:

Patent No. 6,671,052

Allen J. Rushing 429 Tara Lane Webster, NY 14580

United States Patent and Trademark Office

Certificate of Correction

Patent No.: 6,671,052

Issue Date: December 30, 2003

Inventor: Allen J. Rushing

It is certified that error appears in the above-identified printed patent and that Letters Patent are hereby corrected as shown below:

In the Specification:

In col. 3, line 67 delete "dk":

photomultiplier tubes used in some older dk densitometers.

In col. 5, line 22 delete the hyphenation of "to-the": trol functions. If the connection to the host is wireless,

In col. 5, line 33 change "mating" to "making": devices such as motors and corona chargers, mating making noise

In col. 8, line 64 delete "A-s":

cyan, magenta, and yellow A-s separation colorants must be

Patent No.: 6,671,052

In col. 9, line 5 delete the number "25":

21h have sensors positioned in the 25 same track, upstream

In col. 9, line 30 delete "LR":

transfer roller 42 LR transfers toner from image web 16 to

In col. 11, line 17 change "30" to "18":

of web 30 18, to a distance inside the edge positioning sensor

In col. 11, line 39 change "30" to "18":

process direction, and circuit board spacing from web 30 18. A

In Claims 5, 6, 8, 15, and 16

Correct the misprints of "emitter-detector pair" in claims 5, 6, 8, 15, and 16:

- 5. A multi-channel densitometer as set forth in claim 1, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said light detector, said emitter and said light detector forming an emitter-detector pair.
- 6. A multi-channel densitometer as set forth in claim 5, wherein at least one said emitter_detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Patent No.: 6,671,052

- 8. A multi-channel densitometer as set forth in claim 5, wherein a plurality of said emitter-detector pairs are of differing emitter color or peak wavelength, whereby when said sample areas are of differing colors, they can be measured with high sensitivity using light of complementary colors to the respective areas, and whereby said sample areas of the same color can be characterized in color by a set of measurements using light of different colors.
- 15. A multi-channel densitometer as set forth in claim 11, and further including, for each said sensor, a light emitter, where said light emitter emits light impinging first upon the sample area opposite said sensor, and thence from said sample area to said sensor, said emitter and said light detector forming an emitters-detector pair.
- 16. A multi-channel densitometer as set forth in claim 15, wherein at least one said emitter-detector pair comprises a spectrally broad-band or white light emitter and a detector with a limited band of spectral responsivity, whereby the optical density of said sample areas can be measured in the color corresponding to the spectral responsivity.

Mailing Address of Sender:

Patent No. 6,671,052

Allen J. Rushing 429 Tara Lane Webster, NY 14580